




## Jamb

## Astragals/Meeting Stiles

**891S**

Finishes: MIL, DBA, GLD  
 Inserts: V, N, S, F  
 Category: H, J  
 Certifications:




**Fire labeled Astragals & Meeting Stiles should only be mounted on pairs of doors with a gap that meets NFPA 80 2-3.1.7 (1/8" +/- 1/16" for steel doors and not exceeding 1/8" for wood doors)**

Fasteners: #6 x 5/8" Pan head sheet metal screws

- Notes:
- MIL finish weatherstripping is supplied with zinc plated screws
  - Brass weatherstripping is supplied with brass screws
  - Color anodized weatherstripping is supplied with screws plated to match
  - Stainless steel weatherstripping is supplied with stainless steel screws


**892S**

Finishes: MIL, DBA, GLD  
 Inserts: N  
 Category: H, J  
 Certifications:



**756S**


Finishes: MIL, DBA, GLD  
 Inserts: V  
 Category: H, J  
 Certifications:



Note: Order 2 for set


**893S**

Finishes: MIL, DBA, GLD  
 Inserts: W  
 Category: J  
 Certifications:




**771S**

Finishes: MIL  
 Inserts: V, W  
 Category: J  
 Certifications:




**896S**

Finishes: MIL, DBA, GLD  
 Inserts: V, N, S  
 Category: H, J  
 Certifications:




**772S**

Finishes: MIL, DBA, GLD  
 Inserts: W  
 Category: J  
 Certifications:



Finishes: MIL, DBA, GLD  
 Inserts: V, N, S  
 Category: J  
 Certifications:



Finish Codes • MIL - mill finish aluminum • DBA - dark bronze anodized • GLD - gold anodized


Insert Codes • V - Vinyl • N - Neoprene, EDPM, or TPE • S - Silicone • W - Pile • F - Vinyl with Fins




# Weatherstripping

## Astragals/Meeting Styles


**774S** Finishes: MIL, DBA  
Inserts: V, N




**775S** Finishes: MIL, DBA  
Inserts: V



**776S** Finishes: DBA, GLD, CLR  
Inserts: N




**802S** Finishes: MIL, DBA, GLD  
Inserts: B  
Category: H, J  
Certifications: UL LISTED, UBC 7.2 1997 PART 1



Note: Order 2 for set


**835S** Finishes: MIL, DBA, GLD, 32D

Inserts: W  
Category: J  
Certifications: UL LISTED, UBC 7.2 1997 PART 1




Notes: • Maximum length = 10 feet  
• Stainless Steel dimensions are 5/32\"/>


**836S** Finishes: MIL, DBA, GLD



**837S** Finishes: MIL, DBA, GLD  
Inserts: W, V, N, S  
Category: H, J  
Certifications: UL LISTED, UBC 7.2 1997 PART 2, BHMA CERTIFIED



**838S** Finishes: MIL  
Inserts: W  
Category: J  
Certifications: UL LISTED, UBC 7.2 1997 PART 1






Finish Codes • MIL - mill finish aluminum • DBA - dark bronze anodized • GLD - gold anodized  
CLR - clear anodized • 32D - stainless steel

Insert Codes • V - Vinyl • N - Neoprene, EDPM, or TPE • S - Silicone • W - Pile • B - Nylon Brush




### 839S

Finishes: MIL  
 Inserts: W  
 Category: J  
 Certifications:  



### 847S 848S


Finishes: MIL, DBA  
 Inserts: W  
 Category: J  
 Certifications:  



- Notes:
- Adjustable
  - Spring loaded
  - Mortise depth = 21/32"

### 840S


Finishes: MIL, DBA, GLD  
 Inserts: W



Note: 96" Maximum door height

### 849S


Finishes: MIL, DBA, GLD



- Notes:
- Magnetic
  - 96" Maximum door height
  - Designed for use on 80" to 96" doors only
  - Sets shorter than 80" may not work properly


### 844S

Finishes: MIL, DBA, GLD  
 Inserts: N





### 872S


Finishes: DBA, GLD, MIB, CLR, 32D  
 Inserts: N  
 Category: H, J  
 Certifications:  



Note: Order 2 for set



### 845S 846S


Finishes: MIL, DBA, GLD  
 Inserts: W  
 Category: J  
 Certifications:  



Note: Adjustable

### 874S

Finishes: MIL, DBA, GLD, 32D  
 Inserts: N  
 Category: H, J  
 Certifications:  



**Finish Codes** • MIL - mill finish aluminum • DBA - dark bronze anodized • GLD - gold anodized  
 MIB - mill finish bronze • CLR - clear anodized • 32D - Stainless Steel

**Insert Codes** • N - Neoprene, EDPM, or TPE • W - Pile